- 1 (cluster\$3 with (node or computer or USPAT; 200 server)) same (parallel with file with US-PGPUB;	me stamp 04/05/30 11:43
server)) same (parallel with file with US-PGPUB;	
creation) come (numerical and analysis	
system) same (umount or mount) JPO	
	03/11/16 13:07
server)) same (file with system) same US-PGPUB;	
(umount or mount)  JPO	
- 9 ("6275953" or "6249879" or "6247139" or USPAT; 200	03/11/21 07:02
"6202080" or "6192408" or "6151684" or US-PGPUB;	
"5946685" or "5828876" or "5727206").pn. JPO  (cluster\$3 with (node or computer or USPAT: 200	00/11/25 55 5=
The state of the s	03/11/15 13:17
server))same((umount or mount) with file US-PGPUB; with system)	
	72/11/15 10:00
Gluster\$3 with (node or computer or   USPAT;   200	03/11/15 13:33
with system) JPO	
	03/11/15 13:37
"6192408" or "6151684" or "5828876" or   IIS-PGPIB:	77/11/13 13:31
"6151684" or "6202080").pn. JPO	
- 7 ("5828876" or "5946685" or "6275953" or USPAT; 200	03/11/15 14:04
"6192408" or "6151684" or "5828876" or US-PGPUB:	,,
"6151684" or "6202080" or "6249879").pn. JPO	
- 4 (("5828876" or "5946685" or "6275953" or   USPAT:   200	3/11/15 13:51
"6192408" or "6151684" or "5828876" or   US-PGPUB:	
"6151684" or "6202080" or "6249879").pn.) JPO	
and (request with mount\$3)	
1 (("5828876" or "5946685" or "6275953" or USPAT; 200	3/11/15 13:52
"6192408" or "6151684" or "5828876" or US-PGPUB;	ļ
"6151684" or "6202080" or "6249879").pn.) JPO and (request with unmount\$3)	ĺ
0 //850000768 850466058 86056058	12/11/15 15
"6192408" or "6151684" or "5828876" or USPAT; 200	3/11/15 13:53
"6151684" or "6202080" or "6249879").pn.) JPO	
and (request with umount\$3)	
0 (("5828876" or "5946685" or "6275953" or USPAT: 200	3/11/15 13:53
"6192408" or "6151684" or "5828876" or US-PGPUR.	3,11,13 13:33
"6151684" or "6202080" or "6249879").pn.) JPO	
and (request with mount\$3 with message)	
0 (("5828876" or "5946685" or "6275953" or USPAT; 2003	3/11/15 13:57
"6192408" or "6151684" or "5828876" or   US-PGPUR.	
"6151684" or "6202080" or "6249879").pn.) JPO	1
and (request with mount\$3 with event)  0 (("5828876" or "5946685" or "6275953" or USPAT; 2001	
1 1161004000 . UC1516040	3/11/15 13:59
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
and (send\$3 same receiv\$3 same request	
same mount\$3)	
3 (("5828876" or "5946685" or "6275953" or USPAT: 2003	3/11/15 14:00
"6192408" or "6151684" or "5828876" or   US-PGPUR.	3/11/13 14:00
"6151684" or "6202080" or "6249879").pn.) JPO	
and (send\$3 same request same mount\$3)	
] - 3 (("5828876" or "5946685" or "6275953" or   USPAT:   2003	3/11/15 14:00
"6192408" or "6151684" or "5828876" or   US-PGPUB.	. = = = = = = =
"6151684" or "6202080" or "6249879").pn.) JPO	
and (receiv\$3 same request same mount\$3)	
1004000 01 02/3935 OF USPAT; 2003	3/11/15 14:01
"6192408" or "6151684" or "5828876" or US-PGPUB;	
"6151684" or "6202080" or "6249879").pn.) JPO and (receiv\$3 same send\$3 same request	
same mount\$3)	
- 3 //#5929976# am #5046695# #6975959#	2/11/15 1:
"6192408" or "6151684" or "5828876" or USPAT; 2003	3/11/15 14:02
"6151684" or "6202080" or "6249879") pn.) JPO	
and (send\$3 same request same mount\$3)	
3 (("5828876" or "5946685" or "6275953" or   HISPAT:   2003	3/11/15 14:03
"6192408" or "6151684" or "5828876" or   US-PGPUB:	-, -1, +0 14.03
"6151684" or "6202080" or "6249879")	
and ( (send\$3 or receiv\$3)same request	İ
same mount\$3)	

				•
-	(	(("5828876" or "5946685" or "6275953" or "6192408" or "6151684" or "5828876" or	USPAT; US-PGPUB;	2003/11/15 14:03
	!	"6151684" or "6202080" or "6249879").pn.) and ( (send\$3 or reply\$3 or receiv\$3)same request same mount\$3 same (message or	JPO	
		reply))		
-	C	(("5828876" or "5946685" or "6275953" or "6192408" or "6151684" or "5828876" or	USPAT; US-PGPUB;	2003/11/15 14:03
		"6151684" or "6202080" or "6249879").pn.)	JPO JPO	
		<pre>and ( (send\$3 or reply\$3 or receiv\$3)same request same mount\$3 same (reply))</pre>		
-	5	(("5828876" or "5946685" or "6275953" or "6192408" or "6151684" or "5828876" or	USPAT;	2003/11/15 14:10
1		"6151684" or "6202080" or "6249879").pn.)	US-PGPUB; JPO	•
		and ((send\$3 or receiv\$3 or repl\$4) same (mount or u\$1mount))		
-	0	(("5828876" or "5946685" or "6275953" or	USPAT;	2003/11/15 14:06
		"6192408" or "6151684" or "5828876" or "6151684" or "6202080" or "6249879").pn.)	US-PGPUB; JPO	
		and ((send\$3 or receiv\$3 or repl\$4) same (mount or u\$1mount) same message\$2)		
-	1	(("5828876" or "5946685" or "6275953" or	USPAT;	2003/11/15 14:07
		"6192408" or "6151684" or "5828876" or "6151684" or "6202080" or "6249879").pn.)	US-PGPUB; JPO	
		and ((send\$3 or receiv\$3 or repl\$4) same (mount and u\$1mount))		
-	0	(("5828876" or "5946685" or "6275953" or	USPAT;	2003/11/15 14:10
		"6192408" or "6151684" or "5828876" or "6151684" or "6202080" or "6249879").pn.)	US-PGPUB; JPO	
_	16	and DMAPI	исраш.	0000/11/15 1/16
			USPAT; US-PGPUB;	2003/11/15 14:10
-	. 5		JPO USPAT;	2003/11/15 14:55
ļ		"6192408" or "6151684" or "5828876" or "6151684").pn.	US-PGPUB;	2003/11/13 14:55
-	15	(cluster\$3 same (node or computer or	JPO USPAT;	2003/11/17 16:44
		server or processor)) same (file adj system) same (u\$1mount or mount)	US-PGPUB; JPO	
-	1	(cluster\$3 same (node or computer or server or processor)) same (file adj	USPAT;	2003/11/16 14:12
		system) same (u\$1mount or mount) same	US-PGPUB; JPO	
_	14	request cluster\$3 same ((u\$1mount or mount) with	USPAT;	2003/11/16 11:07
		(file adj system))	US-PGPUB;	2003/11/10 11:0/
-	5	(cluster\$3 with (node or computer or	JPO USPAT;	2003/11/16 13:08
		server)) same (file with system) same (umount or mount) and (pre\$u\$mount)	US-PGPUB; JPO	
	1	6363411.pn.	USPAT;	2003/11/16 14:12
	0.1		US-PGPUB; JPO	
_	91	parallel adj file adj system	USPAT; US-PGPUB;	2003/11/17 08:00
_	1	6363411.pn.	JPO	
			USPAT; US-PGPUB;	2003/11/17 13:52
_	5	DM\$1API same file same system same mount	JPO USPAT;	2003/11/17 13:53
		same un\$mount	US-PGPUB;	2003/11/1/ 13:53
-	5	DM\$1API same file same system same (mount	JPO USPAT;	2003/11/17 13:54
		or un\$mount)	US-PGPUB; JPO	
-	9	DM\$1API same file same system	USPAT;	2003/11/17 13:54
_		DV412 ==	US-PGPUB; JPO	
-	16	DM\$1API	USPAT; US-PGPUB;	2003/11/17 13:59
		·	JPO	

_	20	DMAPI or "DM API"	USPAT; US-PGPUB;	2003/11/17 13:59
			JPO	1
-	1	(cluster\$3 same (node or computer or	USPAT;	2003/11/17 16:44
		server or processor)) same (file adj	US-PGPUB;	2003/11/1/ 10:44
	1	system) same (u\$1mount or mount) and	JPO JPO	
	İ	707/10.ccls.		
	0	(cluster\$3 same (node or computer or	USPAT;	2003/11/17 16:45
	1	server or processor)) same (file adj	US-PGPUB;	2003/11/1/ 10:45
		system) same (u\$1mount or mount) and	JPO JPO	
		709/202.ccls.	02.0	1
-	2	(cluster\$3 same (node or computer or	USPAT;	2003/11/17 16:46
		server or processor)) same (file adj	US-PGPUB;	2003/11/1/ 10:40
l	1	system) same (u\$1mount or mount) and	JPO JPO	
		714/11.ccls.	***	1
-	1		USPAT;	2003/11/17 16:46
		server or processor)) same (file adj	US-PGPUB;	-303/11/1/ 10:40
		system) same (u\$1mount or mount) and	JPO JPO	
	1	709/105.ccls.	122	
_	1	6363411.pn.	USPAT;	2003/11/21 07:02
			US-PGPUB;	
			JPO JPO	1
-	116	promote and state bund by been bund	USPAT;	2004/05/07 22:04
ı	İ	cluster	US-PGPUB;	=====================================
	1		JPO	1
_	9	parallel same file same system same	USPAT;	2004/05/07 22:22
		cluster same mount\$	US-PGPUB;	
			JPO	
-	129	parallel same file same system same mount\$	USPAT;	2004/05/07 22:22
			US-PGPUB;	
			JPO	
-	4	parallel same file same system same mount\$	USPAT;	2004/05/07 22:28
	[	same database	US-PGPUB;	
	_ [		JPO	
_	2	parallel same file same system same mount\$	USPAT;	2004/05/07 22:29
		same unmount	US-PGPUB;	
	_ [		JPO	
_	1	file same system same mount\$ same unmount	USPAT;	2004/05/07 22:29
	·	same (servers or cpus or computers or	US-PGPUB;	
_ [	7,0	nodes) same request	JPO	
_	73	file same system same mount\$ same unmount	USPAT;	2004/05/07 22:29
			US-PGPUB;	
_	,	H10/047040H	JPO	
-	1	"10/047842"	USPAT;	2004/05/07 23:58
,			US-PGPUB;	
_	,	W10/050570W	JP0	
_	1	"10/050579"	USPAT;	2004/05/07 23:58
		•	US-PGPUB;	
_	1	H00/007576H	JPO	
	<u> </u>	"09/887576"	USPAT;	2004/05/30 11:43
	j		US-PGPUB;	
	<u>-</u>		JPO .	

Page 3